



SCHEDA TECNICA PRODOTTO
PRODUCT DATA SHEET


Skip



Condizionatore split tropicalizzato 5.8 kW
Split tropicalized air conditioning unit 5.8 kW

Gli Split-System **Skip** sono stati progettati per funzionare in ambienti particolarmente gravosi. Queste macchine sono essenzialmente create per il condizionamento di aree tecniche. Ogni unità viene sottoposta a un test completo, e alla verifica operativa di tutti i circuiti.

Skip split system air conditioner are projected for being installed in harsh environments and in order to work in particularly reliable and efficient way. These machineries are essentially made for technical areas air conditioning. Every unit undergoes to a complete test and all circuits operational verification



DATI TECNICI
TECHNICAL DATA

Skip		
Potenza Frigorifera * Cooling capacity *	kW	5.8
Potenza assorbita in raffreddamento Power input in cooling	W/A	3.2 / 13.9
Potenza Termica** Heating capacity**	kW	2.0
Potenza assorbita in riscaldamento Power input in heating	W/A	2000 / 9
Ricambio aria (min/max) Replacement air (min/max)	m ³ /h	/
Refrigerante Refrigerant	g	1500 R134A
Livello pressione sonora Sound pressure level	dB(A)	58
Limiti temperatura esterna in raffreddamento External temperature limits in cooling mode	°C	-30*** ÷ +60
Alimentazione Elettrica Power supply	V/Hz	230 / 50 (opt. 400V/3Ph+N+T)
Peso UI+UE Weight IU+EU	kg	35+70

Prestazioni riferite alle seguenti condizioni di lavoro:

* Capacità frigorifera: Temperatura interna 28°C - Temperatura esterna 49°C

**Capacità termica ottenuta da resistenze elettriche corazzate.


***Con controllo della condensazione opzionale.

Performances referred to the following operating conditions:

* Cooling capacity: Internal temperature 28°C - External temperature 49°C

**Heating capacity obtained by armored electric heaters.

***With optional condensation control.



Distribuito da:

Thermodynamic Equipment & Industrial Refrigeration

AC GRAF Climatizzazione S.r.l
Via Massimo D'Antona, 7
10040 Rivalta di Torino (TO) - ITALY
Tel. +39 011 904 82 92
+39 011 904 85 42
Fax: +39 011 904 94 53
E-Mail: info@acgraf.it
Web: www.acgraf.it

